



Artificial Intelligence for Sustainable Finance: Why it May Help

Marie Brière, Matthieu Keip, Tegwen Le Berthe*

Abstract

Developments in Artificial Intelligence (AI) and machine learning have led to the creation of a new type of ESG data that do not necessarily rely on information provided by companies. This paper reviews the use of AI in the ESG field: textual analysis to measure firms' environmental, social, and governance (ESG) incidents or verify the credibility of companies' concrete commitments, satellite and sensor data to analyse companies' environmental impact or estimate physical risk exposures, machine learning to fill missing corporate data (e.g. greenhouse gas (GHG) emissions). We also discuss potential challenges, in terms of transparency, manipulation risks and costs associated with these new data and tools.

^{*} Marie Brière is Head of Investor Research Center at Amundi, Affiliate Professor at Paris Dauphine University, Senior Associate Researcher at Université Libre de Bruxelles, and Member of the ECMI Academic Committee. Matthieu Keip is Head of Innovation at Amundi Technology. Tegwen Le Berthe is Head of ESG scoring and methodology at Amundi.

VISIT...



Challenges with traditional extra-financial data

Data provided by extra-financial rating agencies are essential but raise several questions regarding their use. Based on company reporting, supplemented by human analysis, there is a certain degree of **subjectivity in the choices made by each rating agency** on the relevant ESG criteria and their weightings. The different methodological choices made by the various agencies cause these ratings to be **loosely correlated** with one another (see Figure 1)¹. Additionally, ratings are reviewed infrequently, sometimes with different timings depending on the company, and ratings tend to be revised in the direction of a stronger correlation with financial performance (Berg *et al.*, 2020). Finally, the differences in the imputation methods used by ESG analysts to deal with missing data can cause large 'discrepancies' among the providers, which are using different gap filling approaches. Interestingly, the discrepancies among ESG data providers are not only large but they actually **increase with the quantity of publicly available information**. Companies that provide greater ESG disclosure tend to have more variation in their ESG ratings (Christensen *et al.*, 2022).




Figure 1. ESG rating disagreement

Notes: This graph illustrates the ESG rating divergence. The horizontal axis indicates the value of the Sustainalytics rating as a benchmark for each firm (n=924). Rating values by the other five raters are plotted on the vertical axis in different colors. For each rater, the distribution of values has been normalised to zero mean and unit variance.

Source: Berg et al. (2022).

¹ Between 38% and 71% depending on the ratings. See Berg et al. (2022) for an analysis of six different rating providers, and Billio *et al.* (2021) for a comparison of 9 providers.

How can AI help? The rise in alternative data sets

In recent years, developments in AI and machine learning have led to the creation of a new type of ESG data providers that analyse and collect (or 'scrape') large amounts of unstructured data from different internet sources, using AI and without necessarily relying on information provided by companies.

Textual analysis to measure firms' ESG incidents

Textual analysis tools (e.g. Natural Language Processing (NLP) and knowledge graphs) help to identify controversies and news relevant to ESG. A large number of textual analysis software has been developed over the past decade, including RepRisk, Truvalue Labs, and others. They make it possible to finely measure controversies involving companies on various subjects such as environmental policies, working conditions, child labour, corruption, etc. Compared with traditional ratings, they have the advantage of being more frequently revised, incorporating real-time company information.

For example, RepRisk analyses more than 80 000 media, stakeholders, and third-party sources daily, including online media, NGOs, government bodies, regulatory texts, social media, blogs, etc. By doing so, it is able to detect incidents that occur in companies' ESG policies, through screening methods using machine learning combined with human analysis. This information has a high informational content. A recent study tried to evaluate how **employees react to controversies involving their employer when they decide to invest in their company's shares (Bonelli** *et al.***, 2022). The authors found that employees are very sensitive to news concerning their company's social policy and they particularly react to unflattering news on working conditions.**

Private-public partnerships (PPPs) can be highly beneficial and provide valuable insights in terms of asset management and responsible investments. In one of them, Amundi (the largest asset manager in Europe) partnered with Causality Link (a financial information technology provider) and the Toulouse School of Economics to study the informational content of financial and ESG news about firms on a large scale. The Causality Link Artificial Intelligence system collects and analyses textual data from different sources, including news stories, call transcripts, broker research etc. Some 50 000 texts per day are analysed by Causality Link, enabling us to build an aggregate news signal that captures not only the positive or negative tone of news but also how popular such news is on the market on a given day. The texts pass through the filter of a proprietary algorithm which transforms them into structured data. Given a news statement about a particular firm, Causality Link's AI platform can identify the firm's name, its Key Performance Indicator (KPI), the direction of change in this KPI and the tense (past, present or future) of the statement.

Using the above described data, Brière et al. (2022) investigated how and when new fundamental information is incorporated into prices. The authors explored the possible heterogeneity of price reactions across various firms and types of news: financial versus ESG news, tense of news, the time horizon of the news (short versus long), and the firm's size. Using that, they tested what particular information made the stock market react, the speed of the market's reaction to the

news, and the composition of portfolios betting on these reactions. The analysis highlighted the strong informational content of the news understood by the software. Not only do the markets react strongly to the news identified on the day of the announcement but we were able to show that they react more strongly to information concerning the future of the company than to information relating to its past achievements (see Figure 2).




Figure 2. Stock market's reaction to news about the past, the present and the future

Notes: The bar charts present the average returns of the Long - Short strategy for the period [-5, +5] days around the portfolio construction days, on the sub-samples based on different news tenses. The error bars are the 95 % confidence interval.

NLP techniques are also a powerful tool to **identify 'market narratives'**, such as economic reasoning, geopolitical risks, and environmental and social risks, as expressed by print and broadcast media, for example. Using the content of the Global Database of Events, Language and Tone (GDELT) database, Blanqué *et al.* (2022) constructed a time-series that represents and measures how some 'market narratives' appear to the market. They show that this information has forecasting power on the US equity market.

Textual analysis to measure/verify the credibility of companies' concrete commitments

Researchers and organisations have recently started to use AI to assess company disclosures. The Task Force on Climate Related Financial Disclosures (TCFD) has conducted an 'AI review,' using a supervised learning approach to identify compliance with the TCFD Recommended Disclosures (TCFD, 2019). Kölbel *et al.* (2020) analysed climate risks disclosure in 10-K reports of US companies using BERT (Bidirectional Encoder Representations from Transformers), an advanced language understanding algorithm, and identified an increase in transition risks disclosure that outpaced those of physical risks. Friederich *et al.* (2021) used machine learning to **automatically identify disclosures concerning five different types of climate-related risks in companies' annual reports** for more than 300 European firms. Results indicate that not only is the risk disclosure increasing, but is also expanding faster in terms of transition risks than in physical risks.

However, there are marked differences across industries and countries. Regulatory environments potentially have an important role to play in increasing disclosure. Sautner *et al.* (2020) used a machine learning keyword discovery algorithm to identify climate change exposures related to opportunity, physical, and regulatory shocks in corporate earnings' conference calls. They found that their measures can predict important real outcomes related to the net-zero transition: job creation in disruptive green technologies and green patenting. They contain information that is priced in options and equity markets.

Bingler *et al.* (2022) introduced ClimateBERT², a context-based algorithm to identify climate-related financial information from the reports (annual reports, stand-alone sustainability, climate, or TCFD reports, and firms' webpage) of 800 TCFD-supporting companies. They assessed whether climate disclosures improved after supporting the TCFD and analysed the development of TCFD disclosures in different sectors and countries. The findings suggest that **firms tend to cherry-pick disclosures on those TCFD categories containing the least materially relevant information** (see Figure 3). Thus, supporting the idea that TCFD disclosure is currently 'cheap talk'. Disclosures on strategy – and metrics and targets – are particularly poor for all sectors besides energy and utilities. Moreover, the authors observed a slight increase in the information disclosed as required by TCFD categories since 2017.




Figure 3. Corporate climate risk disclosure of TCFD supporting companies, by TCFD categories

Notes: The bar charts present the percentage of paragraphs in reports classified as TCFD category per year for the years 2015 to 2020. The sample comprises 818 international funds supporting the TCFD reporting initiative.

Source: Bingler et al. (2022).

² ClimateBERT is based on the BERT model, a deep neural network currently seen as the state-of-the-art method for many tasks in natural language processing (NLP).

Satellite and sensor data to analyse companies' environmental impact or estimate physical risk exposures

Satellite data and ground sensors are another source of alternative data, making it possible to collect essential information that can be used to verify the carbon emissions of companies or to analyse the impact of their activity on ecosystems (e.g. air pollution, groundwater quality, waste production, and deforestation). Recent years have seen a remarkable increase in the temporal, spatial, and spectral information available from satellites (Burke *et al.*, 2021). Such data, which would be difficult to collect by other means, offer a wide geographical coverage, a high resolution and do not bear the risk of data manipulation. These alternative sources of data can also be used to measure certain physical risks, such as floods, hurricanes, or monitor biodiversity evolution. Finally, they can be a key ingredient of climate stress tests models (Strzepek *et al.*, 2021, Bressan *et al.*, 2022).

For example, Bellon (2021) constructed a measure of 'gas flaring' (i.e. the burning of natural gas associated with oil extraction) using satellite data from the NASA infrared (IR) public files. He identified the practice of flaring based on the fact that it emits a temperature between 1600° C and 2000° C, not to be mistaken with forest fires, which generally reach about 800° C. He measured how much firms engage in 'flaring', which involves burning the gas contained in oil wells to save the fixed cost of connecting the well to a pipeline or to treat the gas, and whether the private equity ownership of the firms had any impact on the flaring practice.

Ground-based air pollution monitoring stations are not widespread in developing countries, and they are potentially subject to government manipulation. Jayachandran (2009) measured the air pollution caused by forest fires in Indonesia. Streets *et al.* (2013) reviewed studies of satellite data applied to emission estimations and found that geostationary satellite imagery provides accurate air pollution estimation for various types of pollutants. Satellite imagery, such as Medium-Spectral Resolution Imaging Spectrometer (MERIS), can also allow real-time water quality supervision, for example for transboundary rivers, that would otherwise require efficient cross-border cooperation and transparency (Elias *et al.*, 2014; Mohamed, 2015). Satellite data has also largely been used to monitor deforestation (Tucker and Townshend, 2000; Grainger and Kim, 2020) or reforestation programmes (Li *et al.*, 2022).

Kocornik-Mina *et al.* (2020) analysed the **impact of floods**, which are among the costliest natural disasters, having killed more than 500 000 people and displaced over 650 million people over the past 30 years. The authors examined the effect of large-scale floods on local economic activity, using spatially detailed inundation maps and night lights data spanning the globe's urban areas. Results indicated that low-elevation urban areas, although flooded more frequently, concentrate more economic activity per square kilometre, compared to those found on higher elevations (see Figure 4).




Figure 4. Inundation and light intensity maps for Hurricane Katrina, New Orleans

Notes: Panel A shows details from one of the inundation maps associated with Hurricane Katrina, concentrated on the area around the city of New Orleans. Red and pink areas were inundated during the flooding. Panels B, C and D show the average annual light intensity in 2004, 2005, 2006 respectively for the city of New Orleans. There is a notable dimming of lights city-wide in 2005, in particular in the eastern parts of the city, that were worst affected by the flood. In Panel D a recovery of light intensity is apparent. Source: Kocornik-Mina et al. (2020).

Finally, social indicators can also be derived from satellite imagery. Engstrom *et al.* (2022) used many features (such as the number and density of buildings, the prevalence of shadows, the number of cars, density and the length of roads, type of agriculture, roof materials, etc.) extracted from high spatial resolution satellite imagery to estimate poverty and economic wellbeing in Sri Lanka. They showed that these features have great explanatory power on poverty headcount rates and average log consumption.

Machine learning to fill in missing corporate data (GHG emissions etc.)

Large companies now report their GHG emissions based on the World Business Council for Sustainable Development's (WBCSD) GHG Protocol. According to this Protocol, reporting on Scopes 1 and 2 is mandatory, while reporting on Scope 3 (indirect emissions that occur in the company's value chain) is optional. But in some sectors, Scope 3 is often the largest component of companies' total GHG emissions.

Estimating total GHG emissions requires to link, for each company, each stage of its industrial processes with their carbon emissions. However, the information required to quantify companies' use of these processes, or their intensity in the overall annual production chain, is rarely publicly available. This makes it difficult to apply such models for calculating company emissions at a global level. Specialised data vendors (e.g. MSCI ESG CarbonMetrics, Refinitiv ESG Carbon Data, and S&P Global Trucost) rely on simple models to predict the likely GHG emissions of some of the companies that do not currently report, based on sector level extrapolations or using regression models based on the company's size, number of employees and income generated.

Nguyen *et al.* (2021) proposed the use of **statistical learning techniques to develop models for predicting corporate GHG emissions** based on publicly available data (see Figure 5). The machine learning approach relies on an optimal set of predictors combining different base-learners³. Their approach generates more accurate predictions than previous models, even in out-of-sample situations. Heurtebize *et al.* (2022) and Reinders (2022) have also proposed a model based on statistical learning techniques to predict unreported corporate greenhouse gas emissions.

PREDICTION MODEL DATA BUILDING BASE-LEANERS COLLECTING DATA PRE- PROCESSING DATA PREDICTOR SELECTION BUILDING META-LEARNERS Simple combination Classification Linear models Prefilter low quality data Target Variables GICS Sector Arithmetic mean Total emissions Insufficient predictors GICS Group ■ Elastic Net Median Scope 1. Scope 2 and Abnormal trends NAICS Sector Reclassified NAICS Sector Non linear models Stacked generalization Scope 3 emissions Data-transformation Reclassified GICS Group Neural Network Predictors Log transformation Firm characteristics K Nearest Neighbours Meta Elastic Net Scale of operations GBB model Meta XGB Business model Outliers GLS model Decision tree ensembles Remove outliers Technology Combined model Random Forests advancement Winsorise outliers Extended model Extreme Gradient Energy factors Step-wise model Boosting Environmental factors Missing values **Environmental factors** List-wide deletion Carbon law Country income group Data source Imputation with Hyper-parameter optimization metrics Thomson Reuters Eikon historical data and Energy Mean Absolute Error (MAE) World Bank Fiscal Years peer groups IF∆ MODEL EVALUATION Training folds Hold-out folds Double 10-Fold Main Evaluation metrics: Mean Absolute Error (MAE) division for base- Wilcoxon Signed-Rank test learners and meta-Robustness Tests learners Alternative measures (MAPE, PPAR)

Figure 5. Modelling strategy to forecast carbon emissions with Machine Learning methods

Notes: This figure illustrates the modelling framework that is used to train and evaluate the proposed machine learning approach. Block: Data shows the sample selection and data pre-processing process. Block: Prediction Model implements (1) Predictor Selection, where the optimal set of predictors from the listed alternative choices is selected based on OLS regression. (2): Build Base-Learners, where three groups of base-learners are tested, namely linear models, non-linear models, and decision ensembles, and (3) Building Meta-Learners, where predictions are combined using a simple combination or stacked generalisation. Finally, block: Model Evaluation: describes the model evaluation with mean absolute error and a set of robustness tests via double-K fold validation.

Test of percentile ranking, mean difference and SP500

membership subgroup

Source: Nguyen et al. (2021).

³ For example, ordinary least squares (OLS), ridge, least absolute shrinkage and selection operator (LASSO), elastic net, multilayer perceptron neural net, K-nearest neighbours, random forest, extreme gradient boosting.

Discussion and challenges

Al provides interesting avenues to fill in ESG data. However, there are several challenges. Al methods can be a black box, subject to the same types of revisions in the methodologies as in traditional ESG ratings. For example, NLP techniques relying on an ontology can be incomplete and revised ex-post. Hughes *et al.* (2021) have shown that the criteria used by Truvalue Labs to assess ESG risks of companies tend to largely overweight certain key issues that are company specific (particularly the ones that generate the more ESG controversies)⁴. Company key issues fluctuate over time, while for traditional rating providers, the weightings tend to be more stable and evenly distributed. These alternative ratings based on NLP signals become more of a public 'sentiment' indicator. This also means that they are also more prone to manipulation. This is particularly true when the primary source of data comes from blogs or social media.

Corporate disclosure can also be subject to manipulation. Cao *et al.* (2020) show that firms' communication has been reshaped by machine and AI readership (see Figure 6). Managers are now avoiding words perceived as negative by computational algorithms, exhibiting the speech emotion favoured by machine learning software.




Figure 6. Trends in machine download

Notes: This graph plots (1) the annual number of machine downloads of corporate filing (blue bars left axis) and annual percentage of machine downloads over total downloads (red line right axis) across all 10-K and 10-Q filings from 2003 to 2016. Machine downloads are defined as downloads from an IP address downloading more than 50 unique firms' filings daily. This serves as an upper bound as well as a proxy for the presence of "machine readers". Source: Cao et al. (2020).

Another issue is that alternative datasets do not necessarily offer wide coverage, due to a lack of historical data or missing news sources, which might lead to **biases and representativity issues**. In the end, the same issue of low correlation between rating providers might also apply when

_

⁴ In the case of Microsoft for example, Data Security dominates the weighting at 56%.

considering alternative ESG datasets. Hain *et al.* (2022) compared six physical risk scores from different providers and find a substantial divergence between these scores, even among those based on similar methodologies. They identify a low correlation between physical risk metrics derived from model-based approaches (Trucost, Carbon4 and Southpole) and language-based approaches (Truvalue Labs, academic scores). On the other hand, Curmally *et al.* (2021) documented a positive (albeit small) correlation between sentiment indicators derived from NLP analysis on incidents and traditional ESG scores. Satellite remote sensing in isolation is no panacea. Access to relevant field-based information is key for satellite imagery to be properly calibrated, analysed and validated. This need for close collaboration between modellers and remote sensing experts to derive meaningful information can represent a serious challenge (Pettorelli *et al.*, 2014).

Financial institutions aiming to integrate these new metrics into their analysis should be aware that the choice of one measure over another has a large impact on the outcome. In the end, a comprehensive process should avoid placing too much confidence in a single measure and strive to integrate the uncertainties around the measures being used. Once used on a large scale in a given institution by fund managers, analysts or even clients, the scope, use and limits of these alternative ESG measures should also be properly explained (Nassr, 2021; OECD, 2021). Finally, one should not neglect the costs of maintaining alternative datasets – not only acquiring the data, but also storing, checking, and integrating these large datasets might necessitate a dedicated team and can be very costly (Denev, 2020).

References

Bellon, A. (2021), Does private equity ownership make firms cleaner? The role of environmental liability risks, ECGI Finance Working Paper No 799/2021, European Corporate Governance Institute, November.

Berg, F., Fabisik, K. and Sautner, Z. (2020), *Rewriting history II: The (un) predictable past of ESG ratings*, ECGI Finance Working Paper No 708/2020, European Corporate Governance Institute, November.

Berg, F., Kölbel, J. and Rigobon, R. (2022), 'Aggregate confusion: The divergence of ESG ratings', *Review of Finance*, Vol. 26, Issue 6, pp. 1315-1344.

Billio, M., Costola, M., Hristova, I., Latino, C. and Pelizzon, L. (2021), 'Inside the ESG ratings: (Dis) agreement and performance', *Corporate Social Responsibility and Environmental Management*, Vol. 28, Issue 5, pp. 1426-1445.

Bingler, J., Kraus, M., Leippold, M. and Webersinke, N. (2022), 'Cheap talk and cherry-picking: What ClimateBERT has to say on corporate climate risk disclosures', *Finance Research Letters*, Vol. 47, Pat B, pp. 1-8.

Blanqué, P., Ben Slimane, M., Cherief, A., Le Guenedal, T., Sekine, T. and Stagnol, L. (2022), *Monitoring narratives: An application to the equity market*, SUERF Policy Note, Issue No 278.

Bonelli, M., Brière M. and Derrien, F. (2022), *Altruism or self-interest? ESG and participation in employee share plans*, Amundi Working Paper No 130-2022, September.

Bressan, G., Duranovic, A., Monasterolo, I. and Battiston, S. (2022), *Asset-level climate physical risk assessment and cascading financial losses*. Available at SSRN: https://ssrn.com/abstract=4062275.

Briere, M., Huynh, K., Laudy, O. and Pouget, S (2022), What do we learn from a machine understanding news content? Stock market reaction to news. Available at SSRN: https://ssrn.com/abstract=4252745.

Burke, M., Driscoll, A., Lobell, D. and Ermon, S. (2021), 'Using satellite imagery to understand and promote sustainable development', *Science*, Vol. 371, Issue 6535.

Cao, S., Wei, J., Yang B. and Zhang, A. (2020), *How to talk when a machine is listening*. Available at SSRN: https://ssrn.com/abstract=3683802.

Christensen, D., Serafeim, G. and Sikochi, A. (2022), ,Why is corporate virtue in the eye of the beholder? The case of ESG ratings', Accounting Review, Vol. 97, Issue 1, pp. 147-175.

Curmally, A., Hessenberger T., Jaulin, T., Le Meaux C., Mazurkiewicz P. and Sandwidi, B. (2021), Artificial intelligence solutions to support environmental, social and governance integration in emerging markets, Amundi and International Finance Corporation, May.

Denev, A. and Amen, S. (2020), *The book of alternative data: A guide for investors, traders and risk managers*, John Wiley & Sons.

Dimitriou, E., Mentzafou, A., Markogianni, V., Tzortziou, M. and Zeri, C. (2014), 'Geospatial investigation into groundwater pollution and water quality supported by satellite data: A case study from the Evros River (Eastern Mediterranean)', *Pure and Applied Geophysics*, Vol. 171, Issue 6, pp. 977-995.

Engstrom, R., Hersh, J. and Newhouse, D. (2022), 'Poverty from space: using high-resolution satellite imagery for estimating economic well-being', *World Bank Economic Review*, Vol. 36, Issue 2, pp. 382-412.

Friederich, D., Kaack, L., Luccioni, A. and Steffen, B. (2021), *Automated identification of climate risk disclosures in annual corporate reports*. Available at arXiv: https://arxiv.org/abs/2108.01415.

Grainger, A. and Kim, J. (2020), 'Reducing global environmental uncertainties in reports of tropical forest carbon fluxes to REDD+ and the Paris Agreement global stocktake', *Remote Sensing*, Vol. 12, No 15, pp. 1-32.

Hain, L., Kölbel, J. and Leippold, M. (2022), 'Let's get physical: Comparing metrics of physical climate risk', *Finance Research Letters*, Vol. 46, Part B, pp. 1-8.

Heurtebize, T., Chen, F., Soupé, F. and de Carvalho, R. (2022), *Corporate carbon footprint: A machine learning predictive model for unreported data*. Available at SSRN: https://ssrn.com/abstract=4038436.

Hughes, A., Urban, M. and Wójcik, D. (2021), 'Alternative ESG ratings: How technological innovation is reshaping sustainable investment', *Sustainability*, Vol. 13, Issue 6, pp. 1-23.

Jayachandran, S. (2009), 'Air quality and early-life mortality: Evidence from Indonesia's wildfires', *Journal of Human Resources*, Vol. 44, No 4, pp. 916-954.

Kocornik-Mina, A., McDermott, T., Michaels, G. and Rauch, F. (2020), 'Flooded cities', *American Economic Journal: Applied Economics*, Vol. 12, No 2, pp. 35-66.

Kölbel, J., Leippold, M., Rillaerts, J. and Wang, Q. (2020), *Does the CDS market reflect regulatory climate risk disclosures?*. Available at SSRN: https://ssrn.com/abstract=3616324.

Li, B., Wang, Y., Wang, W., Wang, C. and Lin, A. (2022), 'Satellite remote sensing analysis to monitor revegetation in the Yangtze River basin, China', *Land Degradation & Development*, Vol. 33, Issued 1, pp. 68-78.

Mohamed, M. (2015), 'Satellite data and real time stations to improve water quality of Lake Manzalah', *Water Science*, Vol. 29, Issue 1, pp. 68-76.

Nassr, I. (2021), Artificial intelligence in finance: Is machine learning going to dominate the markets?, OECD On the level, 12 July.

Nguyen, Q., Diaz-Rainey, I. and Kuruppuarachchi, D. (2021), 'Predicting corporate carbon footprints for climate finance risk analyses: A machine learning approach', *Energy Economics*, Vol. 95, No 3, pp. 105-129.

OECD (2021), Artificial intelligence, machine learning and big data in finance: Opportunities, challenges, and implications for policy makers, 11 August.

Pettorelli, N., Safi, K. and Turner, W. (2014), 'Satellite remote sensing, biodiversity research and conservation of the future', *Philosophical Transactions of the Royal Society*.

Reinders S. and Kent, J. (2022), Carbon emission forecasting: how artificial intelligence can help investors, NN Investment Partners, 1 March.

Sandberg, J., Juravle, C., Hedesström, T. and Hamilton, I. (2009), 'The heterogeneity of socially responsible investment', *Journal of Business Ethics*, Vol. 87, No 4, pp. 519-533.

Stephenson, P. (2020), 'Technological advances in biodiversity monitoring: applicability, opportunities and challenges', *Current Opinion in Environmental Sustainability*, Vol. 45, pp. 36-41.

Streets, D., Canty, T., Carmichael, G., de Foy, B., Dickerson, R., Duncan, B., Edwards, D., Haynes, J., Henze, D., Houyoux, M., Jacob, D., Krotkov, N., Lamsal, L., Liu, Y., Lu, Z., Martin, R., Pfister, G., Pinder, R., Salawitch, R. and Wecht, K. (2013), 'Emissions estimation from satellite retrievals: A review of current capability', *Atmospheric Environment*, Vol. 77, pp. 1011–1042.

Strzepek, K., Schlosser, C. and Goudreau, J. (2021), *Hydroclimatic analysis of climate change risks to global corporate assets in support of deep-dive valuation*, Joint Program Report Series, Report 350, April.

TCFD (2019), Task Force on climate-related financial disclosures: Status report, June.

Tucker, C. and Townshend, J. (2020), 'Strategies for monitoring tropical deforestation using satellite data', *International Journal of Remote Sensing*, Vol. 21, Issue 6-7, pp. 1461-1471.

European Capital Markets Institute

ECMI conducts in-depth research aimed at informing the debate and policymaking process on a broad range of issues related to capital markets. Through its various activities, ECMI facilitates interaction among market participants, policymakers, supervisors and academics. These exchanges result in commentaries, policy briefs, working papers, task forces as well as conferences, workshops and seminars. In addition, ECMI undertakes studies externally commissioned by the EU institutions and other organisations, and publishes contributions from high-profile guest authors.



Centre for European Policy Studies

CEPS is widely recognised as one of the most experienced and authoritative think tanks operating in the EU. CEPS acts as a leading forum for debate on EU affairs, distinguished by its strong in-house research capacity and complemented by an extensive network of partner institutes throughout the world. As an organisation, CEPS is committed to carrying out state-of-the-art policy research leading to innovative solutions to the challenges facing Europe and to maintaining the highest standards of academic excellence and unqualified independence. It also provides a forum for discussion among all stakeholders in the European policy process that is supported by a regular flow of publications offering policy analysis and recommendations.

